# A Simplified Van Erth Single Nucleotide Polymorphism (SNP) Typing Method of *Bacillus Anthracis Applicable by* Traditional Thermocycler Machines

### Najafi Olya, Z. (BSc)

MSc Student of Microbiology, Department of Veterinary Aerobic Bacteria, Razi Institute, Karaj, Iran

#### Tadayon, K. (PhD)

Assistant Professor of Microbiology, Razi Institute, Karaj, Iran

### Ghaderi, R. (PhD)

PhD of Microbiology, Department of Veterinary Aerobic Bacteria, Razi Institute, Karaj, Iran

## Corresponding Author: Tadayon, K.

Email: k.tadayon@rvsri.ac.ir

Received: 22 May 2014 Revised: 9 Jun 2014 Accepted: 11 Jun 2014

### **Abstract**

SNP typing is now a well-established genotyping system in *Bacillus anthracis* studies. In the original standard method of Van Erth, SNPs at 13 loci of the *B. anthracis* genome were analyzed. In order to simplify and make appropriate this expensive method to low-budget laboratory settings, 13 primer pairs targeting the 13 corresponding SNPs were designed. Besides, a universal PCR protocol was developed to enable simultaneous amplification of all loci by conventional PCR machines. The efficiency of this approach was approved by applying on nine isolates of B. *anthracis*. We recommend using this modified procedure as an efficient alternative to Van Erth method until developing newer and affordable techniques.

Keywords: Bacillus Anthracis, Genotyping, SNPs, PCR